

A Comparison Among Simple Algorithms for Linear Programming

J. SILVA^{1*}, C.T.L.S. GHIDINI², A.R.L. OLIVEIRA³ and M.I.V. FONTOVA⁴

Received on July 28, 2017 / Accepted on March 10, 2018

ABSTRACT. This paper presents a comparison between a family of simple algorithms for linear programming and the optimal pair adjustment algorithm. The optimal pair adjustment algorithm improves the convergence of von Neumann's algorithm which is very attractive because of its simplicity. However, it is not practical to solve linear programming problems to optimality, since its convergence is slow. The family of simple algorithms results from the generalization of the optimal pair adjustment algorithm, including a parameter on the number of chosen columns instead of just a pair of them. Such generalization preserves the simple algorithms nice features. Significant improvements over the optimal pair adjustment algorithm were demonstrated through numerical experiments on a set of linear programming problems.

Keywords: Linear programming, von Neumann's algorithm, Simple algorithms.

1 INTRODUCTION

The von Neumann algorithm was reported by Dantzig in the early 1990s [4, 5], and it was later studied by Epelman and Freund [7], and Beck and Teboulle [1]. Some of the advantages presented by this method are its low computational cost per iteration, which is dominated by the matrix-vector multiplication, in addition to its ability to exploit the data sparsity from the original problem and the usually fast initial advance. Epelman and Freund [7] refer to this algorithm as “elementary”, since each iteration involves only simple computations; therefore, it is unsophisticated, especially when compared with the modern interior point algorithms.

In [11], three algorithms were proposed to overcome some convergence difficulties from von Neumann's method: the optimal pair adjustment algorithm, the weight reduction algorithm,

*Corresponding author: Jair Silva – E-mail: jairsilva@ufpr.br

¹Campus Avançado da Universidade Federal do Paraná em Jandaia do Sul, Rua Doutor João Maximiano, 426, Vila Operária, 86900-000, Jandaia do Sul, PR, Brazil. E-mail: jairsilva@ufpr.br

²Faculdade de Ciências Aplicadas, Universidade de Campinas, Rua Pedro Zaccaria, 1300, 13484-350, Limeira, SP, Brazil. E-mail: carla.ghidini@fca.unicamp.br

³Instituto de Matemática, Estatística e Computação Científica, Universidade de Campinas, Rua Sérgio Buarque de Holanda, 651, 13083-859, Campinas, SP, Brazil. E-mail: aurelio@ime.unicamp.br

⁴Centro Universitário de Campo Limpo Paulista, Rua Guatemala, 167, 13231-230, Jd. América, Campo Limpo Paulista, SP, Brazil. E-mail: martavelazco@cc.faccamp.br

and projection algorithm. The optimal pair adjustment algorithm (OPAA) provides the best results among them. This algorithm inherits the best properties from von Neumann's algorithm. Although OPAA has a faster convergence when compared to von Neumann's algorithm, its convergence is also considered slow, making it impractical for solving linear optimization problems.

This work presents a comparison between a family of simple algorithms for linear programming and the optimal pair adjustment algorithm. This family originated from the generalization of the idea presented by Gonçalves, Storer and Gondzio in [11] to develop the OPAA. Hence, the optimal adjustment algorithm for p coordinates was developed. Indeed, for different values of p , a different algorithm is defined, in which p is limited by the order of the problem, thus resulting in a family of algorithms. This family of simple algorithms maintains the ability to exploit the sparsity from the original problem and a fast initial convergence. Significant improvements over OPAA are demonstrated through numerical experiments on a set of linear programming problems.

The paper is organized as follows. Section 2 contains a description of von Neumann's algorithm. Section 3 presents both the weight reduction algorithm and the OPAA. Section 4 discusses the family of simple algorithms, theoretical properties of convergence of the optimal adjustment algorithm for p coordinates, and a sufficient condition for it to present better iterations than the iterations of von Neumann's algorithm. Section 5 describes the computational experiments comparing the family with the OPAA. The conclusions and perspectives for future work are presented in the last section.

2 THE VON NEUMANN'S ALGORITHM

The von Neumann algorithm for solving linear programming problems was first described by Dantzig in the early 1990s in [4, 5]. Such an algorithm actually solves the equivalent problem described below.

Consider the following set of linear constraints and the the search for a feasible solution for:

$$\begin{aligned} Px &= 0, \\ e^t x &= 1, x \geq 0, \end{aligned} \tag{2.1}$$

where $P \in \mathfrak{R}^{m \times n}$ and $\|P_j\| = 1$ for $j = 1, \dots, n$ (the columns have norm one), $x \in \mathfrak{R}^n$, $e \in \mathfrak{R}^n$ is the vector with all ones.

Geometrically, the columns P_j are points on the m -dimensional hypersphere with unit radius and center at the origin. Therefore, the above problem assigns non-negative weights x_j to the P_j columns so that its origin is the rescaled gravity center. Note that any linear programming problem can be reduced to problem (2.1) (see [10]).

Figure 1 shows the algorithm. In the k -th iteration, the residual is $Px^k = b^{k-1}$. The next residual b^k is the projection of the origin in the segment of line joining b^{k-1} to P_s , where P_s is the column

that forms the largest angle with the residual b^{k-1} . The triangle $b^{k-1}Ob^k$ has as hypotenuse Ob^{k-1} and cathetus Ob^k , and thus, $\|b^k\| < \|b^{k-1}\|$ for all iterations.




Figure 1: Illustration of von Neumann's algorithm.

The steps of von Neumann's algorithm are described below:

Algorithm 1: von Neumann's Algorithm

```

1 begin
2   Given:  $x^0 \geq 0$ , with  $e^t x^0 = 1$ . Compute  $b^0 = Px^0$ .
3   For  $k = 1, 2, 3, \dots$  Do:
4     1) Compute:
5      $s = \operatorname{argmin}_{j=1, \dots, n} \{P_j^t b^{k-1}\}$ ,
6      $v^{k-1} = P_s^t b^{k-1}$ .
7     2) If  $v^{k-1} > 0$ , then STOP. The problem (2.1) is infeasible.
8     3) Compute:
9      $u^{k-1} = \|b^{k-1}\|$ ,  $\lambda = \frac{1-v^{k-1}}{(u^{k-1})^2 - 2v^{k-1} + 1}$ .
10    4) Update:
11     $b^k = \lambda b^{k-1} + (1-\lambda)P_s$ ,  $x^k = \lambda x^{k-1} + (1-\lambda)e_s$ ,
12    where  $e_s$  is the standard basis vector with 1 in the  $s$ -th coordinate.
13 end

```

In computational experiments, the stopping criterion was $\|b^k - b^{k-1}\|/\|b^k\| < \varepsilon$, where ε is a specified tolerance, and $x_j^0 = \frac{1}{n}, j = 1, \dots, n$ was considered.

The effort per iteration of von Neumann's algorithm is dominated by the matrix-vector multiplication, required for the selection of the column P_s , which is $O(mn)$. The number of operations required in this multiplication is significantly lower, if the P matrix is sparse. For more details, see [10, 11].

3 THE WEIGHT REDUCTION AND THE OPTIMAL PAIR ADJUSTMENT ALGORITHMS

In this section, two algorithms developed by Gonçalves [11] are described. The algorithms are based on von Neumann’s algorithms and were developed to improve convergence. They are the weight-reduction algorithm and the optimal pair adjustment algorithm.

In the weight-reduction algorithm, the residual b^{k-1} is moved closer to the origin 0 by increasing the weight x_j of some columns P_j or decreasing the weight x_i of other columns P_i . Figure 2 shows the geometric interpretation of the weight-reduction algorithm.




Figure 2: Illustration of the weight-reduction algorithm.

At each iteration, the residual b^{k-1} moves in the direction $P_{s+} - P_{s-}$ where the columns P_{s+} and P_{s-} make the largest and smallest angle with b^{k-1} , respectively. The new residual b^k is the projection of the origin in that line. Only the weights x_+ and x_- will be changed. There is no guarantee that an iteration of this algorithm will improve as much as an iteration of the von Neumann algorithm [11].

However, the OPAA also developed by Gonçalves improves the residual at least as much as the von Neumann algorithm [11].

First, the OPAA calculates the columns P_{s+} and P_{s-} . Then, the algorithm computes the values x_{s+}^k, x_{s-}^k and λ where $x_j^k = \lambda x_j^{k-1}$ for all $j \neq s^+$ and $j \neq s^-$ that minimize the distance between b^k and the origin, subject to the convexity and the non-negativity constraints. The solution to this optimization problem is easy to find by examining the Karush-Kuhn-Tucker (KKT) conditions (see [11]).

The optimal pair adjustment algorithm is described below.

The OPAA modifies all the weights $x_{i,s}^k$, while the weight reduction algorithm modifies only the weights of columns P_{s+} and P_{s-} . This is the main difference between them.

Algorithm 2: Optimal Pair Adjustment Algorithm

1 **begin**

2 **Given:** $x^0 \geq 0$, with $e^t x^0 = 1$. Compute $b^0 = Px^0$.

3 **For** $k = 1, 2, 3, \dots$ **Do:**

4 1) Compute:

5 $s^+ = \operatorname{argmin}_{j=1, \dots, n} \{P_j^t b^{k-1}\},$

6 $s^- = \operatorname{argmax}_{j=1, \dots, n} \{P_j^t b^{k-1} \mid x_j > 0\},$

7 $v^{k-1} = P_{s^+}^t b^{k-1}.$

8 2) If $v^{k-1} > 0$, then **STOP**; the problem (2.1) is infeasible.

9 3) Solve the problem:

10

$$\begin{aligned} & \text{minimize} && \|\bar{b}\|^2 \\ & \text{s.t.} && \lambda_0(1 - x_{s^+}^{k-1} - x_{s^-}^{k-1}) + \lambda_1 + \lambda_2 = 1, \\ & && \lambda_i \geq 0, \text{ for } i = 0, 1, 2. \end{aligned} \tag{3.1}$$

11 where, $\bar{b} = \lambda_0(b^{k-1} - x_{s^+}^{k-1}P_{s^+} - x_{s^-}^{k-1}P_{s^-}) + \lambda_1P_{s^+} + \lambda_2P_{s^-}.$

12 4) Update:

13

$$\begin{cases} b^k = \lambda_0(b^{k-1} - x_{s^+}^{k-1}P_{s^+} - x_{s^-}^{k-1}P_{s^-}) + \lambda_1P_{s^+} + \lambda_2P_{s^-}, \\ x_j^k = \begin{cases} \lambda_0x_j^{k-1}, & j \neq s^+ \text{ e } j \neq s^-, \\ \lambda_1, & j = s^+, \\ \lambda_2, & j = s^-. \end{cases} \\ k = k + 1. \end{cases}$$

14 **end**

4 OPTIMAL ADJUSTMENT ALGORITHM FOR P COORDINATES

This section presents the optimal adjustment algorithm for p coordinates developed by Silva [12]. This algorithm was developed by generalizing the idea presented in the subproblem (10) of the OPAA. Instead of using two columns to formulate the subproblem, any number of columns can be used, thus assigning relevancy to any number of variables. For each value of p , a different algorithm can be formulated. Thus, a family of algorithms was developed.

The p variables can be chosen by a different method according to the problem. A natural choice is to take $p/2$ columns that make the largest angle with the vector b^k and $p/2$ columns that make the smallest angle with the vector b^k . If p is an odd number, an extra column for the set of vectors is taken, which form the largest angle with the vector b^k , for instance.

The optimal adjustment algorithm for p coordinates computes better direction than the OPAA. It still maintains simplicity, since at each iteration, only a matrix-vector multiplication is performed and a small linear system with a positive definite matrix is solved.

The steps of the optimal adjustment algorithm for p coordinates are similar to those for the OPAA. First, the s_1 and s_2 columns are identified; the s_1 and s_2 columns form the largest and the smallest angle with the residual b^{k-1} , respectively, where $s_1 + s_2 = p$ and p is the number of columns to be prioritized. Next, the subproblem is solved, and then, the residual and the current point are updated.

Algorithm 3: Optimal Adjustment Algorithm for p Coordinates

1 **begin**

2 **Given:** $x^0 \geq 0$, with $e^t x^0 = 1$. Compute $b^0 = P x^0$.

3 **For** $k = 1, 2, 3, \dots$ **Do:**

4 1) Compute:

5

$\{P_{\eta_1^+}, \dots, P_{\eta_{s_1}^+}\}$ forming the largest angle with the vector b^{k-1} .
 $\{P_{\eta_1^-}, \dots, P_{\eta_{s_2}^-}\}$ forming the smallest angle with the vector b^{k-1} such as
 $x_i^{k-1} > 0, i = \eta_1^-, \dots, \eta_{s_2}^-$, where $s_1 + s_2 = p$.
 $v^{k-1} = \text{minimum}_{i=1, \dots, s_1} \{P_{\eta_i^+}^t b^{k-1}\}$.

6 2) If $v^{k-1} > 0$, then **STOP**; the problem (2.1) is infeasible.

7 3) Solve the problem:

8

$$\begin{aligned} & \text{minimize} && \frac{1}{2} \|A\lambda\|^2 \\ & \text{s.t.} && c^t \lambda = 1, \\ & && \lambda \geq 0, \end{aligned} \tag{4.1}$$

9 where $A = [\bar{w} P_{\eta_1^+} \dots P_{\eta_{s_1}^+} P_{\eta_1^-} \dots P_{\eta_{s_2}^-}]$, $\bar{w} = b^{k-1} - \sum_{i=1}^{s_1} x_{\eta_i^+}^{k-1} P_{\eta_i^+} - \sum_{j=1}^{s_2} x_{\eta_j^-}^{k-1} P_{\eta_j^-}$,

$\lambda = (\lambda_0, \lambda_{\eta_1^+}, \dots, \lambda_{\eta_{s_1}^+}, \lambda_{\eta_1^-}, \dots, \lambda_{\eta_{s_2}^-})$, $c = (c_1, 1, \dots, 1)$ and

$$c_1 = 1 - \sum_{i=1}^{s_1} x_{\eta_i^+}^{k-1} - \sum_{j=1}^{s_2} x_{\eta_j^-}^{k-1}.$$

10 4) Update:

$$\begin{cases} b^k = A\lambda^*, \\ x_j^k = \begin{cases} \lambda_0 x_j^{k-1}, & j \notin \{\eta_1^+, \dots, \eta_{s_1}^+, \eta_1^-, \dots, \eta_{s_2}^-\}, \\ \lambda_{\eta_i^+}, & j = \eta_i^+, i = 1, \dots, s_1, \\ \lambda_{\eta_j^-}, & j = \eta_j^-, j = 1, \dots, s_2. \end{cases} \\ k = k + 1. \end{cases}$$

11 **end**

Subproblem (8) was built in such a way that the residual has the maximum decrease, such that, $x^0 \geq 0$, with $e^t x^0 = 1$.

4.1 Relation between von Neumann's algorithm and the algorithm with $p = 1$ and geometric interpretation

The optimal adjustment algorithms for p coordinates with $p = 1$ and von Neumann's algorithm generate the same points x^k and the same residual b^k as shown in Figure 1.

The optimal λ for von Neumann's algorithm is calculated by the projection of the origin in the segment of line joining b^{k-1} to P_s .

In the algorithm when $p = 1$, the following subproblem is solved.

$$\begin{aligned} & \text{minimize} && \|\bar{b}\|^2 \\ & \text{s.t.} && \lambda_0(1 - x_s^{k-1}) + \lambda_1 = 1, \\ & && \lambda_i \geq 0, \text{ for } i = 0, 1. \end{aligned} \quad (4.2)$$

where, $\bar{b} = \lambda_0(b^{k-1} - x_s^{k-1}P_s) + \lambda_1P_s$.

The subproblem can be rewritten (4.2) as follows:

$$\begin{aligned} \lambda_0(1 - x_s^{k-1}) + \lambda_1 = 1 & \Leftrightarrow \lambda_1 = 1 - \lambda_0(1 - x_s^{k-1}) \geq 0 \\ \bar{b} &= \lambda_0(b^{k-1} - x_s^{k-1}P_s) + \lambda_1P_s \\ &= \lambda_0(b^{k-1} - x_s^{k-1}P_s) + (1 - \lambda_0(1 - x_s^{k-1}))P_s \\ &= \lambda_0b^{k-1} + (1 - \lambda_0)P_s. \end{aligned} \quad (4.3)$$

Thus, the problem (4.2) will be:

$$\begin{aligned} & \text{minimize} && \|\bar{b}\|^2 \\ & \text{s.t.} && \lambda \in \left[0, \frac{1}{1 - x_s^{k-1}}\right] \end{aligned} \quad (4.4)$$

where, $\bar{b} = \lambda b^{k-1} + (1 - \lambda)P_s$.

If the term $\frac{1}{1 - x_s^{k-1}}$ is larger than 1, then there will be an increase in the number of possible solutions in comparison with von Neumann's algorithm. Although, the geometric interpretation of the algorithm with $p = 1$ presented in Figure 3 show that the optimal λ is the same for both algorithms.

In Step 4 of von Neumann's algorithm, x^k is updated by

$$x_j^k = \begin{cases} \lambda x_j^{k-1}, & j \neq s \\ \lambda(x_s^{k-1} - 1) + 1, & j = s. \end{cases}$$




Figure 3: Illustration of the algorithm with $p = 1$.

In Step 4 of the algorithm with $p = 1$, x^k is updated by

$$x_j^k = \begin{cases} \lambda x_j^{k-1}, & j \neq s \\ 1 - \lambda(1 - x_s^{k-1}), & j = s. \end{cases}$$

Therefore, the algorithm with $p = 1$ and von Neumann’s algorithm generate the same points x^k and the same residual b^k .

For $p = 2$, the subproblem (8) is reduced to the following form:

$$\begin{aligned} &\text{minimize} \quad \|\bar{b}\|^2 \\ &\text{s.t.} \quad \lambda_0(1 - x_{s^+}^{k-1} - x_{s^-}^{k-1}) + \lambda_1 + \lambda_2 = 1, \\ &\quad \lambda_i \geq 0, \text{ for } i = 0, 1, 2. \end{aligned} \tag{4.5}$$

where, $\bar{b} = \lambda_0(b^{k-1} - x_{s^+}^{k-1}P_{s^+} - x_{s^-}^{k-1}P_{s^-}) + \lambda_1P_{s^+} + \lambda_2P_{s^-}$.

The term \bar{b} can be rewritten as:

$$\begin{aligned} \bar{b} &= \lambda_0(b^{k-1} - x_{s^+}^{k-1}P_{s^+} - x_{s^-}^{k-1}P_{s^-}) + \lambda_1P_{s^+} + \lambda_2P_{s^-} \\ &= \lambda_0b^{k-1} + (\lambda_1 - \lambda_0x_{s^+}^{k-1})P_{s^+} + (\lambda_2 - \lambda_0x_{s^-}^{k-1})P_{s^-} \end{aligned}$$

Thus, $\bar{b}(\lambda_0, \lambda_1, \lambda_2)$ is a linear transformation. When the vectors $\{(b^{k-1} - x_{s^+}^{k-1}P_{s^+} - x_{s^-}^{k-1}P_{s^-}), P_{s^+}$ e $P_{s^-}\}$ are linearly independent, such linear transformation is injective. It transforms the triangle generated by $\lambda_0(1 - x_{s^+}^{k-1} - x_{s^-}^{k-1}) + \lambda_1 + \lambda_2 = 1$ and its interior into the triangle whose vertices are P_{s^+} , P_{s^-} and $P_v = \frac{1}{(1 - x_{s^+}^{k-1} - x_{s^-}^{k-1})}(b^{k-1} - x_{s^+}^{k-1}P_{s^+} - x_{s^-}^{k-1}P_{s^-})$, and its interior.

Therefore, the optimal residual b^k is the projection of the origin on this triangle. The geometric interpretation of the algorithm with $p = 2$ is given in Figure 4.

For $p > 2$ coordinates, the subproblem (8) will be




Figure 4: Illustration of the algorithm with $p = 2$.

$$\begin{aligned} \bar{b} &= \lambda_0 \left(b^{k-1} - \sum_{i=1}^{s_1} x_{\eta_i^+}^{k-1} P_{\eta_i^+} - \sum_{j=1}^{s_2} x_{\eta_j^-}^{k-1} P_{\eta_j^-} \right) + \sum_{i=1}^{s_1} \lambda_{\eta_i^+} P_{\eta_i^+} + \sum_{j=1}^{s_2} \lambda_{\eta_j^-} P_{\eta_j^-} \\ &= \lambda_0 b^{k-1} + \sum_{i=1}^{s_1} (\lambda_{\eta_i^+} - \lambda_0 x_{\eta_i^+}^{k-1}) P_{\eta_i^+} + \sum_{j=1}^{s_2} (\lambda_{\eta_j^-} - \lambda_0 x_{\eta_j^-}^{k-1}) P_{\eta_j^-} \end{aligned}$$

with $\lambda_0 + \sum_{i=1}^{s_1} (\lambda_{\eta_i^+} - \lambda_0 x_{\eta_i^+}^{k-1}) + \sum_{j=1}^{s_2} (\lambda_{\eta_j^-} - \lambda_0 x_{\eta_j^-}^{k-1}) = 1$, then \bar{b} is also an affine combination. Then, the optimal residual b^k is the projection of the origin on the affine space region with vertices in the p columns and in vector P_v , and

$$P_v = \frac{1}{1 - \sum_{i=1}^{s_1} x_{\eta_i^+}^{k-1} - \sum_{j=1}^{s_2} x_{\eta_j^-}^{k-1}} \left(b^{k-1} - \sum_{i=1}^{s_1} x_{\eta_i^+}^{k-1} P_{\eta_i^+} - \sum_{j=1}^{s_2} x_{\eta_j^-}^{k-1} P_{\eta_j^-} \right).$$

4.2 Subproblem Solution Using Interior Point Methods

In [11], Gonçalves solved the subproblem (10) by checking all feasible solutions that satisfies the KKT condition of this subproblem and there are $2^3 - 1$ possible solutions, see [11]. For the optimal adjustment algorithm for p Coordinates, the possible solutions of the subproblem (8) are $2^p - 1$ [9]. The strategy used by Gonçalves in [11] is inefficient even for small values of p ; the number of cases will increase exponentially. The subproblem (8) can be solved by interior point methods.

Consider the subproblem (8). The KKT equations from the problem (8) are given by:

$$\begin{aligned} A^t A \lambda + c \tau - \mu &= 0, \\ \mu^t \lambda &= 0, \\ c^t \lambda - 1 &= 0, \\ -\lambda &\leq 0, \end{aligned} \tag{4.6}$$

where τ is a vector of free variables and $0 \leq \mu$. The vectors τ and μ are the Lagrange multipliers for equality and inequality constraints, respectively, and A^tA is a $(p + 1) \times (p + 1)$ matrix.

The path-following interior point method is used to solve the problem (4.6). At each iteration of the interior point method, the linear system of Equation (4.7) is solved to compute the search directions $(d\lambda, d\tau, d\mu)$:

$$\begin{bmatrix} A^tA & c & -Id \\ U & 0 & \Lambda \\ c^t & 0 & 0 \end{bmatrix} \begin{bmatrix} d\lambda \\ d\tau \\ d\mu \end{bmatrix} = \begin{bmatrix} r_1 \\ r_2 \\ r_3 \end{bmatrix} \tag{4.7}$$

where $U = \text{diag}(\mu)$, $\Lambda = \text{diag}(\lambda)$, $r_1 = \mu - c\tau - A^tA\lambda$, $r_2 = -\tau^t\lambda$, and $r_3 = 1 - c^t\lambda$.

The directions $d\lambda$, $d\tau$ and $d\mu$ are given by:

$$\begin{aligned} d\mu &= \Lambda^{-1}r_2 - \Lambda^{-1}Ud\lambda, \\ d\lambda &= (A^tA + \Lambda^{-1}U)^{-1}r_4 - (A^tA + \Lambda^{-1}U)^{-1}cd\tau, \\ c^t(A^tA + \Lambda^{-1}U)^{-1}cd\tau &= c^t(A^tA + \Lambda^{-1}U)^{-1}r_4 - r_3, \end{aligned}$$

where $r_4 = r_1 + \Lambda^{-1}r_2$.

Consider $l_1 = (A^tA + \Lambda^{-1}U)^{-1}c$ and $l_2 = (A^tA + \Lambda^{-1}U)^{-1}r_4$; then, the solution of the linear systems $(A^tA + \Lambda^{-1}U)l_1 = c$ and $(A^tA + \Lambda^{-1}U)l_2 = r_4$ will be necessary to compute the directions.

The matrix $A^tA + \Lambda^{-1}U$ is a symmetric $(p + 1) \times (p + 1)$ positive definite. Both systems can be solved with the same Cholesky factorization.

4.3 Theoretical Properties of the Family of Algorithms

The theorem 3.1 in [11] ensures that the OPAA converges, in the worst case, with the same rate of convergence as von Neumann’s algorithm. This result can be extended for the optimal adjustment algorithm for p coordinates, and an increase in the value of p leads to a more efficient algorithm with improved performance. This is shown in Theorem 4.1. Only the second part will be proved.

Teorema 4.1. *The residual $\|b^k\|$ after an iteration of the optimal adjustment algorithm for p coordinates is, in the worst case, equal to the residual after an iteration of von Neumann’s algorithm. Furthermore, suppose that $\|b_{p_1}^k\|$ is the residual after an iteration of the optimal adjustment algorithm for p_1 coordinates, $\|b_{p_2}^k\|$ is the residual after an iteration of the optimal adjustment algorithm for p_2 coordinates, and $p_1 \leq p_2 \leq n$, then $\|b_{p_1}^k\| \leq \|b_{p_2}^k\|$ where n is the number of columns P .*

Proof. Let $k \geq 1$ and b^{k-1} be the residual at the beginning of the iteration k . Further, $\{P_{\eta_1^+}, \dots, P_{\eta_{s_1}^+}\}$ and $\{P_{\eta_1^-}, \dots, P_{\eta_{s_2}^-}\}$ are sets of vectors forming the largest and the smallest angles with the vector b^{k-1} , respectively, for the algorithm prioritizing the p_2 coordinates, where

$s_1 + s_2 = p_2$; and $\{P_{\eta_1^+}, \dots, P_{\eta_{s_3}^+}\}$ and $\{P_{\eta_1^-}, \dots, P_{\eta_{s_4}^-}\}$ are sets of vectors forming the largest and the smallest angles with the vector b^{k-1} , respectively, for the algorithm prioritizing the p_1 coordinates, where $s_3 + s_4 = p_1$.

After the k -th iteration in the optimal adjustment for the p_2 coordinates, the residual $b_{p_2}^k$ will be

$$b_{p_2}^k = \bar{\lambda}_1 \left(b^{k-1} - \sum_{i=1}^{s_1} x_{\eta_i^+}^{k-1} P_{\eta_i^+} - \sum_{j=1}^{s_2} x_{\eta_j^-}^{k-1} P_{\eta_j^-} \right) + \sum_{i=1}^{s_1} \bar{\lambda}_{\eta_i^+} P_{\eta_i^+} + \sum_{j=1}^{s_2} \bar{\lambda}_{\eta_j^-} P_{\eta_j^-},$$

where $(\bar{\lambda}_1, \bar{\lambda}_{\eta_1^+}, \dots, \bar{\lambda}_{\eta_{s_1}^+}, \bar{\lambda}_{\eta_1^-}, \dots, \bar{\lambda}_{\eta_{s_2}^-})$ is the optimal solution of the subproblem (8) prioritizing p_2 coordinates.

The optimal solution of the subproblem (8) prioritizing p_1 coordinates

$$(\tilde{\lambda}_1, \tilde{\lambda}_{\eta_1^+}, \dots, \tilde{\lambda}_{\eta_{s_3}^+}, \tilde{\lambda}_{\eta_1^-}, \dots, \tilde{\lambda}_{\eta_{s_4}^-}),$$

is also a feasible solution for the subproblem (8) when p_2 coordinates are prioritized.

Therefore,

$$\begin{aligned} & \left\| \tilde{\lambda}_1 \left(b^{k-1} - \sum_{i=1}^{s_3} x_{\eta_i^+}^{k-1} P_{\eta_i^+} - \sum_{j=1}^{s_4} x_{\eta_j^-}^{k-1} P_{\eta_j^-} \right) + \sum_{i=1}^{s_3} \tilde{\lambda}_{\eta_i^+} P_{\eta_i^+} + \sum_{j=1}^{s_4} \tilde{\lambda}_{\eta_j^-} P_{\eta_j^-} \right\| = \\ & = \|b_{p_1}^k\| \geq \|b_{p_2}^k\|, \end{aligned}$$

where $b_{p_1}^k$ is the residual after an iteration of the optimal adjustment algorithm for the p_1 coordinates. Consequently, the reduction of the residual after an iteration of the optimal adjustment algorithm for the p_2 coordinates is, in the worst case, equal to the reduction of the residual after an iteration of the optimal adjustment algorithm for the p_1 coordinates.

This theorem does not ensure that one iteration of family of algorithms is better than one iteration of von Neumann’s algorithm. In the next section, we give the sufficient conditions for that to happen.

4.4 Sufficient Conditions for $\|b^k\| < \|b_v^k\|$

Let b^k be the residual of the algorithm with $p = 2$ in the iteration k , and let P_{s^+} and P_{s^-} be the columns forming the largest and smallest angles with the vector b^{k-1} . If the projection of the origin is in the interior of the triangle $b^k P_{s^+} P_{s^-}$ and coincides with the projection of the origin in the plane determined by b^{k-1}, P_{s^+} and P_{s^-} , then $\|b^k\| < \|b_v^k\|$, where b_v^k is the residual of von Neumann’s algorithm in the iteration k . In fact, we can see this clearly in Figure 5, noting that the triangle $Ob^k b_v^k$ has the $\overline{Ob_v^k}$ hypotenuse and side $\overline{Ob^k}$.

Thus, we concluded that under these conditions, the OPAA for p coordinates has better performance than von Neumann’s algorithm.




Figure 5: Illustration of the Sufficient Condition.

5 COMPUTATIONAL EXPERIMENTS

The algorithm with $p=2$ is the same of the optimal pair adjustment algorithm. In particular, for the algorithm with $p = 2$, we could use the same strategy and compute all possible solutions of the subproblem, since there are only $2^3 - 1$ possible solutions. However, this strategy becomes impractical for larger values of p , so, the strategy is to solve the subproblem by interior point methods for all different values of p .

We make two experiments. In the first one, the performance of the family of algorithms for moderate values of p is compared with OPAA, when $p = 2$. The choice for moderate p values comes from the fact that for larger p values, the cost of solution of the subproblem in each iteration becomes noticeable.

The second experiment explores the fact that the optimal adjustment algorithm for p coordinates allows a dynamic choice of p considering the size of linear problem to be solved. This approach was proposed in [8], the developed heuristic was based on numerical experiments and its given by

0	<	$(m + n) \leq 10000$	→	$p = 4;$
10000	<	$(m + n) \leq 20000$	→	$p = 8;$
20000	<	$(m + n) \leq 400000$	→	$p = 20;$
400000	<	$(m + n) \leq 600000$	→	$p = 40;$
600000	<	$(m + n) \leq$	→	$p = 80$

where m is the number of rows and n is the number of columns for the constraint matrix A of the linear problem.

For the second experiment, we proposed a new heuristic $p = \frac{nz(A)}{\sqrt{mn}}$ where $nz(A)$ is the number of nonzeros entries of A . And we compare this new heuristic with the heuristic proposed in [8].

For the all experiments, a collection of 151 linear programming problems is used. The problems are divided into 95 Netlib problems [3], 16 Kennington problems [2], and 40 other problems supplied by Gonçalves [11]. These experiments were performed on an Intel Core 2 Quad Q9550 2.83 GHz and 4GB of RAM machine in a Linux using the gcc compiler.

5.1 Implementation Details

The family of algorithms is implemented in C using the format of the problem given in [10] Subsection 2.5.1. The matrix P is not built explicitly. More precisely, it is divided into two blocks. Only one of these blocks is considered in Step 1, at each iteration, to find s_1 and s_2 columns, which form the largest and smallest angles with residual b^k , respectively.

To solve the subproblem, the classical path-following interior point method was implemented in C. The perturbation in the complementarity is $\frac{\mu^i \lambda}{(p+1)^2}$.

The initial point was the point with all coordinates equal to one. The tolerance is 10^{-12} ; since the linear equation $e^i x = 1$ of the problem (2.1) makes each component x_j small, if a solution with a good precision is not computed, the method may not work properly.

5.2 Experiment Design

The first experiment was performed following the steps presented by Gonçalves, Storer and Gondzio in [11]:

1. Initially, von Neumann's algorithm is run on all problems;
2. Next, when the relative difference between $\|b^{k-1}\|$ and $\|b^k\|$ was less than 0.5%, the time $t1$ (CPU seconds) and number of iterations (up to $t1$) are recorded.
3. Additionally, the times $t2$, $t3$, $t4$, and $t5$ (CPU seconds), which correspond respectively to 3, 5, 10 and 20 times the number of iterations in $t1$ are also recorded.
4. Next, the optimal adjustment algorithm for p coordinates, where $p = 2$, $p = 4$, $p = 10$, $p = 20$, $p = 40$ and $p = 100$ is ran on the test problems.
5. Finally, for the t_i times, $i = 1, \dots, 5$, the residual $\|b^k\|$ is recorded.

In the second experiment, both approaches use the termination criteria described in [8]. This is, the experiment stops when the algorithm exceeds its allotted maximum number of iterations (100) or when the relative error of the residual norm is smaller than a tolerance 10^{-4} . The most successful approach is the one with the smaller residual $\|b^k\|$.

Table 1 shows the problems and the results for time $t5$, which was used in the performance profile. We use time $t5$, because in $t5$ the algorithms get more time running.

Table 1: Problems test and time t5

Problem	Line	Column	Time t5	Problem	Line	Column	Time t5
25fv47	769	1821	0.060000	ship04l	292	1905	0.030000
80bau3b	1965	10701	0.240000	ship04s	216	1281	0.090000
adlittle	53	134	0.000001	ship08l	470	3121	0.120000
afiro	25	48	0.000001	ship08s	276	1604	0.100000
agg	319	404	0.000001	ship12l	610	4171	0.040000
agg2	455	689	0.010000	ship12s	340	1943	0.150000
agg3	455	689	0.020000	sierra	1129	2618	0.080000
bandm	211	366	0.000001	stair	356	531	0.060000
beaconfd	73	148	0.020000	standata	292	582	0.050000
blend	66	101	0.020000	standgub	292	582	0.050000
bnl1	558	1439	0.020000	standmps	388	1146	0.040000
bnl2	1848	3800	0.080000	stocfor1	94	142	0.010000
boeing1	294	660	0.040000	stocfor2	1968	2856	0.030000
boeing2	125	264	0.000001	stocfor3	15336	22202	0.190000
bore3d	64	90	0.010000	truss	1000	8806	0.050000
brandy	116	216	0.020000	tuff	246	553	0.120000
capri	235	421	0.010000	vtp_base	46	82	0.000001
cycle	1400	2749	0.020000	wood1p	171	1718	0.180000
czprob	661	2705	0.040000	woodw	708	5364	0.090000
d2q06c	2012	5561	0.130000	cre-a	2994	6692	0.040000
d6cube	403	5443	0.480000	cre-b	5336	36382	0.230000
degen2	444	757	0.050000	cre-c	2375	5412	0.030000
degen3	1503	2604	0.260000	cre-d	4102	28601	0.190000
df1001	5907	12065	1.440000	ken-07	1427	2603	0.030000
e226	161	392	0.020000	ken-11	10061	16709	0.540000
etamacro	331	666	0.020000	ken-13	22519	36546	2.060000
fffff800	313	817	0.040000	ken-18	78823	128395	21.310000
finnis	359	775	0.010000	osa-07	1047	24911	0.160000
fit1d	24	1047	0.010000	osa-14	2266	54535	0.380000
fit1p	678	1706	0.010000	osa-30	4279	103978	0.000001
fit2d	25	10387	0.280000	osa-60	10209	242411	1.840000
fit2p	3170	13695	0.240000	pds-02	2603	7333	0.070000
forplan	104	411	0.090000	pds-06	9119	28435	0.490000
ganges	840	1197	0.030000	pds-10	15587	48719	1.240000
gfrd-pnc	590	1134	0.020000	pds-20	32287	106080	5.440000
greenbea	1872	4081	0.070000	BL	5468	12038	0.830000
greenbeb	1865	4065	0.090000	BL2	5480	12063	0.840000
grow15	300	645	0.010000	CO5	4471	10318	0.240000
grow22	440	946	0.020000	CO9	8510	19276	0.470000

Table 1 (Continued from previous page)

Problem	Line	Column	Time t5	Problem	Line	Column	Time t5
grow7	140	301	0.000001	CQ9	7073	17806	0.300000
israel	166	307	0.010000	GE	8361	14096	0.200000
kb2	43	68	0.000001	NL	6478	14393	0.560000
lotfi	117	329	0.000001	a1	42	73	0.000001
maros	626	1365	0.030000	fort45	1037	1467	0.060000
maros-r7	2152	6578	0.090000	fort46	1037	1467	0.060000
modszk1	658	1405	0.010000	fort47	1037	1467	0.050000
nesm	646	2850	0.080000	fort48	1037	1467	0.060000
perold	580	1412	0.020000	scagr25	344	543	0.020000
pilot	1350	4506	0.090000	fort49	1037	1467	0.050000
pilot4	389	1069	0.030000	fort51	1042	1473	0.060000
pilot87	1968	6367	0.220000	fort52	1041	1471	0.060000
pilot_ja	795	1834	0.040000	fort53	1041	1471	0.050000
pilot_we	691	2621	0.050000	fort54	1041	1471	0.050000
pilotnov	830	2089	0.050000	fort55	1041	1471	0.060000
recipe	61	120	0.000001	fort56	1041	1471	0.040000
sc105	104	162	0.000001	fort57	1041	1471	0.060000
sc205	203	315	0.000001	fort58	1041	1471	0.050000
sc50a	49	77	0.000001	fort59	1041	1471	0.050000
sc50b	48	76	0.000001	fort60	1041	1471	0.060000
scagr25	344	543	0.010000	fort61	1041	1471	0.050000
scagr7	92	147	0.000001	x1	983	1413	0.050000
scfxm1	268	526	0.020000	x2	983	1413	0.050000
scfxm2	536	1052	0.030000	pata01	122	1241	0.010000
scfxm3	804	1578	0.040000	pata02	122	1241	0.020000
scorpion	180	239	0.060000	patb01	57	143	0.000001
scrs8	418	1183	0.080000	patb02	57	143	0.000001
scsd1	77	760	0.260000	vschna02	122	1363	0.010000
scsd6	148	1350	0.430000	vschnb01	57	144	0.000001
scsd8	397	2750	0.070000	vschnb02	58	202	0.000001
sctap1	269	608	0.010000	willett	184	588	0.030000
sctap2	977	2303	0.010000	ex01	234	1555	0.070000
sctap3	1346	3113	0.020000	ex02	226	1547	0.070000
seba	2	9	0.130000	ex05	831	7747	0.090000
share1b	107	243	0.040000	ex06	824	7778	0.090000
share2b	92	158	0.010000	ex09	1821	18184	0.340000
shell	487	1450	0.020000				

5.3 Computational Results

Table 2 shows the relative gain by each algorithm in all problems considering the five different times, i.e., the percentage of problems where the algorithm obtained the lowest value for the residual $\|b^k\|$, in the times $t1$ up to $t5$.

Table 2: Percentage of the relative gain by the algorithms on the problems in five different times

Algorithm	t1	t2	t3	t4	t5
Algorithm with $p=2$	7.28%	9.93%	19.20%	4.63%	11.92 %
Algorithm with $p=4$	23.84%	28.47%	23.17%	19.20%	19.20 %
Algorithm with $p=10$	17.88%	17.21%	15.89%	19.21%	13.25 %
Algorithm with $p=20$	23.85%	6.63%	8.63%	27.81%	3.98%
Algorithm with $p=40$	4.64%	4.64%	1.33%	2.66%	9.27%
Algorithm with $p=100$	22.51%	33.12%	31.78%	26.49%	42.38%

According with Table 2, for the optimal adjustment algorithm for $p = 100$ and $p = 4$ coordinates, more problems obtain the lowest value of the residual in comparison with the OPAA ($p = 2$) on the five times. And for $p = 4$, the performance was worse. Especially, the optimal adjustment algorithm for $p = 100$ coordinates had better performance.

The performances of the algorithms using performance profile [6] was also analyzed. The distance of the residual $\|b^k\|$ to the origin was used to measure the performance. In these graphs, $\rho(1)$ represents the algorithm's total gain. The best performance algorithms are the ones above the others in graphics.

In Figure 6, the performance profile of the six algorithms with time $t5$ are compared. This figure shows that the optimal adjustment algorithm for p coordinates is more efficient than the OPAA ($p = 2$) for $p = 100$, $p = 10$ and $p = 4$. However the algorithm loses in performance for $p = 20$ and $p = 40$. Table 2 shows the performance of the algorithms in the $t5$ column. In terms of robustness, for all values of p the behaviour is the same.

Figures 9, 10, and 7 show the performance profiles among family algorithms for $p = 100$, $p = 40$, $p = 20$, $p = 10$, and $p = 4$ and OPAA at the time $t5$. The five figures show that the five family algorithms are more efficient and robust. The highest efficiency was achieved by the algorithm with $p = 4$, which had 88% efficiency, followed by the algorithm with $p = 10$, which had 84% efficiency, followed by the algorithm with $p = 20$, which had a 74% efficiency, followed by the algorithm with $p = 40$, which had a 60% efficiency and ending with the algorithm with $p = 100$, which had a 57% efficiency. Thus, at time $t5$, the family algorithms achieved higher efficiency when compared with OPAA. As for robustness, the five figures show that the curves from the five family algorithms are on top of the curve from the OPAA, thus demonstrating their strength.




Figure 6: Performance profile of six algorithms in $t5$ time.




Figure 7: Performance profile of the algorithms with $p = 2$ and $p = 100$ in time $t5$.




Figure 8: Performance profile of the algorithms with $p = 2$ and $p = 40$ in time $t5$.




Figure 9: Performance profile of the algorithms with $p = 2$ and $p = 20$ in time $t5$.




Figure 10: Performance profile of the algorithms with $p = 2$ and $p = 10$ in time $t5$.




Figure 11: Performance profile of the algorithms with $p = 2$ and $p = 4$ in time $t5$.

Thus, the performance profiles show that the family of algorithms has good performance for moderate p values.

The results obtained in the second experiment are presented in Table 3. The best-performing approach is given by the heuristic $p = \frac{nz(A)}{\sqrt{mn}}$. It achieves a smaller number of iterations in 52% of the 151 problems tested, a larger number of iterations in 35% of the problems and the same number of iterations in 13% of them. In the Table 3 we present the value of p and the number of iterations (it) for the approach in [8] (H) and the new heuristic (NH).

Table 3: Heuristic: $H \times NH$

Problem	H		NH		Problem	H		NH	
	p	it	p	it		p	it	p	it
25fv47	4	100	9	100	ship08s	4	100	6	100
80bau3b	8	47	3	17	ship12l	4	100	6	100
adlittle	4	100	5	100	ship12s	4	100	6	100
afiro	4	100	3	100	sierra	4	100	2	100
agg	4	100	5	49	stair	4	100	9	100
agg2	4	6	8	63	standata	4	100	3	100
agg3	4	6	8	8	standgub	4	100	3	100
bandm	4	100	7	100	standmps	4	100	4	100
beaconfd	4	100	11	100	stocfor1	4	100	4	100
blend	4	100	6	100	stocfor2	4	100	4	100
bnl1	4	100	6	100	stocfor3	20	100	4	100
bnl2	4	100	6	100	truss	4	100	10	100
boeing1	4	100	5	100	tuff	4	46	11	100
boeing2	4	100	4	100	wood1p	4	100	83	3
bore3d	4	100	5	100	woodw	4	100	11	100
brandy	4	100	11	100	pds-10	20	100	3	100
capri	4	100	4	100	pds-20	20	100	2	100
cycle	4	100	8	100	scagr25	4	100	4	100
czprob	4	100	5	100	gfrdpnc	4	100	3	100
d2q06c	4	100	10	100	pilotja	4	100	8	100
d6cube	4	100	24	100	pilotwe	4	82	6	100
degen2	4	100	8	100	vtibase	4	63	3	100
degen3	4	100	13	100	cre-a	4	100	4	100
df001	8	100	5	3	cre-b	20	100	9	100
e226	4	100	9	100	cre-c	4	100	4	100
etamacro	4	13	4	13	cre-d	20	100	9	100
fffff800	4	100	11	100	ken-07	4	100	2	100
finnis	4	100	4	100	ken11	20	100	2	100
fit1d	4	33	10	53	ken13	20	100	2	100
fit1p	4	100	7	100	ken18	20	100	2	100
fit2d	8	5	9	5	osa-07	20	100	18	45
fit2p	8	100	4	100	osa-14	20	65	18	71
forplan	4	6	18	96	osa-30	20	73	18	67

Table 3 (Continued from previous page)

Problem	H		NH		Problem	H		NH	
	p	it	p	it		p	it	p	it
ganges	4	2	4	2	osa-60	20	100	2	9
greenbea	4	54	8	40	pds-02	4	100	3	100
greenbeb	4	100	8	68	pds-06	20	100	3	100
grow15	4	100	6	100	BL	8	100	4	100
grow22	4	100	6	100	BL2	8	100	4	100
grow7	4	100	6	100	CO5	8	100	7	100
israel	4	100	11	100	CO9	20	100	7	100
kb2	4	100	5	100	CQ9	20	100	7	100
lotfi	4	55	5	100	GE	20	6	4	6
maros	4	6	7	72	NL	20	100	4	100
maros-r7	4	28	26	100	a1	4	100	3	100
modszk1	4	25	3	34	fort45	4	62	3	84
nesm	4	100	5	100	fort46	4	100	3	100
perold	4	100	6	100	fort47	4	83	3	100
pilot	4	100	12	54	fort48	4	92	3	100
pilot4	4	100	8	100	fort49	4	34	3	54
pilot87	4	100	14	100	fort51	4	42	4	42
pilotnov	4	100	8	52	fort52	4	100	3	100
recipe	4	100	4	100	fort53	4	100	3	100
sc105	4	100	3	100	fort54	4	36	3	100
sc205	4	100	3	100	fort55	4	34	3	100
sc50a	4	100	3	100	fort56	4	100	3	100
sc50b	4	100	3	100	fort57	4	100	3	100
scagr25	4	100	4	100	fort58	4	100	3	100
scagr7	4	100	3	100	fort59	4	100	3	100
scfxm1	4	100	6	100	fort60	4	100	3	100
scfxm2	4	100	6	100	fort61	4	100	3	100
scfxm3	4	100	6	100	x1	4	4	3	6
scorpion	4	100	4	100	x2	4	100	3	76
scrs8	4	100	5	100	pata01	4	100	7	100
scsd1	4	100	10	100	pata02	4	100	7	100
scsd6	4	100	10	100	patb01	4	100	4	100
scsd8	4	100	9	100	patb02	4	100	4	100
sctap1	4	100	5	100	vschna02	4	100	7	100
sctap2	4	100	5	100	vschnb01	4	100	4	100
sctap3	4	100	5	100	vschnb02	4	100	4	100
seba	4	100	4	100	willett	4	100	8	100
share1b	4	88	7	100	ex01	4	100	5	100
share2b	4	100	7	100	ex02	4	100	5	100
shell	4	68	3	100	ex05	4	100	5	100
ship04l	4	100	6	100	ex06	4	100	5	100
ship04s	4	100	6	100	ex09	20	100	5	100
ship08l	4	100	6	100					

6 CONCLUSIONS

The family of simple algorithms arose from the generalization of the OPAA. The major advantage of this family of algorithms is its simplicity and fast initial convergence. This paper presents a comparison between a family of simple algorithms for linear programming and the OPAA. Besides, it is proved that the algorithm with $p = 1$ is equivalent to von Neumann's algorithm. Finally, sufficient conditions show that the family of algorithms has better performance than von Neumann's algorithm.

The first experiment is performed in a similar framework as reported by in Gonçalves, Storer and Gondzio in [11] and the second experiment is performed in a similar framework as reported in [9]. In the first experiment the computational results show the superiority of the family of algorithms for moderate p values, in comparison with OPAA. Performance profile graphs indicate that the family of algorithms has significantly more efficiency and robustness. In the second experiment the new heuristic $p = \frac{nz(A)}{\sqrt{mn}}$ achieves better results than the approach given in [9].

Despite the improvements with respect to OPAA, the family of algorithms is not practical for solving linear programming problems up to a solution. However, it can be useful in some instances, such as, improving the starting point for interior point methods as in [8], or to work in combination with interior point methods using its initial fast convergence rate as reported in [9]. Nevertheless, future researches are needed to measure the impact that the family of algorithms can have in this direction.

ACKNOWLEDGEMENT

This work was partially funded by the Foundation for the Support of Research of the State of São Paulo (FAPESP) and Brazilian Council for the Development of Science and Technology (CNPq).

The authors are grateful to the referees for their valuable suggestions which improved this article.

RESUMO. Este artigo apresenta uma comparação entre uma família de algoritmos simples para programação linear e o algoritmo de ajustamento pelo par ótimo. O algoritmo de ajustamento pelo par ótimo foi desenvolvido para melhorar a convergência do algoritmo de von Neumann que é um algoritmo muito interessante por causa de sua simplicidade. Porém não é muito prático resolver problemas de programação linear até a otimalidade com ele, visto que sua convergência ainda é muito lenta. A família de algoritmos simples surgiu da generalização do algoritmo de ajustamento pelo para ótimo, incluindo um parâmetro sobre o número de colunas escolhidas, em vez de manter fixa duas. Esta generalização preserva a simplicidade dos algoritmos e suas boas qualidades. Apresentamos experimentos numéricos sobre um conjunto de problemas de programação linear que mostram melhorias significativas em relação ao algoritmo de ajustamento pelo par ótimo.

Palavras-chave: Programação Linear, Algoritmo de von Neumann, Algoritmos Simples.

REFERENCES

- [1] A. Beck & M. Teboulle. A Conditional Gradient Method with Linear Rate of Convergence for Solving Convex Linear Systems. *Mathematical Methods of Operations Research*, (2004).
- [2] W. Carolan, J. Hill, J. Kennington, S. Niemi & S. Wichmann. An empirical evaluation of the KORBX algorithms for military airlift applications. *Oper. Res*, **38** (1990), 240–248.
- [3] N. collection LP test sets. NETLIB LP repository. *Online at <http://www.netlib.org/lp/data>*.
- [4] G.B. Dantzig. Converting a converging algorithm into a polynomially bounded algorithm. Technical report, Stanford University (1991).
- [5] G.B. Dantzig. An ε -precise feasible solution to a linear program with a convexity constraint in $\frac{1}{\varepsilon^2}$ iterations independent of problem size. Technical report, Stanford University (1992).
- [6] E. Dolan & J. More. Benchmarking optimization software with performance profiles. *Math. Program*, (2002), 91:201–213.
- [7] M. Epeleman & R.M. Freund. Condition number complexity of an elementary algorithm for computing a reliable solution of a conic linear system. *Mathematical Programming*, **88** (2000), 451–485.
- [8] C.T.L.S. Ghidini, A.R.L. Oliveira & J. Silva. Optimal Adjustment Algorithm for p Coordinates and the Starting Point in Interior Point Methods. *American Journal of Operations Research*, (2011).
- [9] C.T.L.S. Ghidini, A.R.L. Oliveira, J. Silva & M. Velazco. Combining a Hybrid Preconditioner and a Optimal Adjustment Algorithm to Accelerate the Convergence of Interior Point Methods. *Linear Algebra and its Applications*, **436** (2012), 1–18.
- [10] J.P.M. Gonçalves. “A Family of Linear Programming Algorithms Based on the Von Neumann Algorithm”. Ph.D. thesis, Lehigh University, Bethlehem (2004).
- [11] J.P.M. Gonçalves, R.H. Storer & J. Gondzio. A Family of Linear Programming Algorithms Based on an Algorithm by von Neumann. *Optimization Methods and Software*, (2009).
- [12] J. Silva. “Uma Família de Algoritmos para Programação Linear Baseada no Algoritmo de Von Neumann”. Ph.D. thesis, IMECC – UNICAMP, Campinas SP (2009). In portuguese.